



Thin Client Workstation

TECHNICAL SPECIFICATIONS

Model	DL1300
Processor	Via Nano Eden 800 MHz
Memory (RAM)	256 MB (DDR)
Flash Storage	Internal 64 MB – 4 GB (optional)
Disk Storage	Internal 2.5" 40 GB HDD (optional)

Firmware Specifications

Network Boot	Supports PXE
Instruction Set	x86 (Pentium-compatible)
Operating System	Linux

Expansion

Internal	Compact PCI (optional), Compact Flash (optional)
Storage	Internal IDE 2.5" HDD or IDE Flash, Compact Flash, External USB 2.0
Wireless	802.11g via Compact PCI (optional)

Ethernet Connection

Standards	10BASE-T / 100BASE-T
Connector	RJ-45

Serial Interfaces

USB 2.0 Ports	Included (1 front, 1 back)
Serial Port	25-pin D-Sub for Printer, RS-232 (Optional)
PS/2 Ports	Keyboard and Mouse

Display Connection

Connector	VGA
Resolution	1280x1024 pixels
Chipset	VIA Unichrome 2D/3D Graphics with MPEG2 Accelerator

Audio Features

Input/Output	Microphone-in, Audio-out/Headphone out
Sampling	Full 16-bit audio with stereo

Power Supply

Input	5V DC
Dissipation	4.5 amp incl. laptop hard disk

Front and Rear Panel

Buttons	Power (front)
Indicators	Power, Disk Activity, Network Activity, Network Link

Enclosure

Materials	Aluminium chassis
Dimensions (H x W x D)	124 x 170 x 38 (mm)
Base Weight	780 g

Environmental

Operating Temperature	0° – 60° C
Humidity	0% - 90% non-condensing

Certifications

Regulatory	FCC Class B, CE
------------	-----------------



About Direct Leap Innovations, Inc. Our expertise is in combining bullet-proof engineering and execution with innovative system design, using proven enterprise-class open standard and open-source technologies. Our customers include major telecommunications carriers, original equipment manufacturers, and large enterprises around the globe.

For more information, visit our website at: <http://innovations.directleap.com/>